











































	TECHNICAL SPECIFICATIONS			
SPECIFICATION SHEET	PETROL	CNG		
VARIANTS	"LXI MT, VXI MT/AMT, ZXI MT / AMT, ZXI+ MT/AMT"	VXI MT, ZXI MT		
DIMENSIONS				
Length (mm)	3995			
Width (mm)		35		
Height (mm)		25		
Wheelbase (mm) Turning Radius (m)		150		
Ground clearance (mm) (unladen)	4.8 163			
Seating Capacity		5		
Boot Space (L)	382	j		
ENGINE	302			
Engine Type	71	2F		
Fuel Type	Petrol	Petrol + CNG (Bi-Fuel)		
Engine Capacity (cc)		97		
Max Power (kW @rpm)	60 kW / 81.58 Ps @ 5700 rpm	51.3 kW / 69.75 Ps @ 5700 rpm		
Max Torque (Nm @ rpm)	111.7 Nm @ 4300 rpm	101.8 Nm @ 2900 rpm		
Emission Type	BS	VI		
Fuel Efficiency	24.79 km/l MT 25.71 km/l AMT	33.73 km/kg		
Fuel Tank Capacity (L)	37L	Petrol: 37L CNG: 55L (water equivalent)		
Idle Start Stop	√	-		
TRANSMISSION				
Transmission	5MT/5AMT	5MT		
WEIGHT				
Kerb Weight (kg)	920-960 kg	1020-1025 kg		
Gross Vehicle Weight (kg)	1375 kg	1435 kg		
BRAKES				
Front	Di	isc		
Rear	Dri	um		
SUSPENSION				
Front	Mac Pher	rson Strut		
Rear	Torsion	n Beam		
TYRES				
Tyre Size (Steel)	165/8	30 R14		
Tyre Size (Alloy)	185/6	55 R15		

FEATURES LIST				
VARIANTS	LXI MT	VXI MT/AMT CNG MT	ZXI MT/AMT CNG MT	ZXI+ MT/AMT
EXTERIORS				
R15 Alloys	-	-	√ (Painted)	√ (Precision Cut)
R14 Steel Wheels	√	√	-	-
Full Wheel Covers	-	√	-	-
Sleek Line LED DRLs	-	-	√	√
LED Crystal Vision Headlamps	-	-	√	√
FocusBeam Projector Headlamps	√	√	-	-
Clarity Vision LED Fog Lamps	-	-	-	√
Chrome Finish - Front Grille	-	√	√	√
Chrome Finish - Trunk Lid Garnish	-	√	√	√
Side Turn Indicators on Outside Rear View Mirrors	-	√	√	√
Body Coloured Door Handles	-	√	√	√
Body Coloured Outside Rear View Mirrors	-	√	√	√
LED High Mount Stop Lamp	√	√	√	√
3D Trinity LED Rear Lamps Signature	√	√	√	√
Shark Fin Antenna	√	√	√	√
Aero Boot Lip Spoiler	√	√	√	√
Belt Line Garnish	Black	Black	Chrome	Chrome

INTERIORS				
Front Footwell Illumination	-	-	-	√
Leather Wrapped Steering Wheel with Urbane Satin Accent [^]	-	-	-	√
Urbane Satin Accents on Console, Door Trims	-	-	√	√
Chrome Finish - AC Vents	-	-	√	√
Chrome Finish - Inside Door Handles	-	√	√	√
Chrome Accent On Parking Brake Lever Tip And Gear Shift Knob	-	√	√	√
IP Ornament Finish	-	√ (Satin Silver)	√ (Satin Silver + Wood)	√ (Satin Silver + Wood)
Front Dome Lamp	-	√	√	√ (spot lamp)
Centre Room Lamp	√	√	√	-
Co. Driver Side Sunvisor with Vanity Mirror	√ (without mirror)	√	√	√
Driver Side Sunvisor with Ticket Holder	√ (without holder)	√	√	√
Front Door Armrest with Fabric	√	√	√	√
Dual-Tone Sophisticated Interiors (Black & Beige)	√	√	√	√
Outside Temperature Display	-	AMT Only	√	√
Speedometer with Tachometer	√	√	√	√
Low-Fuel Warning Lamp	√	√	√	√
Multi-Information Display	√	√	√	√ (Coloured)

SAFETY & SECURITY				
Reverse Parking Camera	-	-	√	-
360 View Camera (HD)	-	-	-	√
Anti-Theft Security System (Shock Sensor)	-	-	-	√
Tyre Pressure Monitoring System (TPMS)	-	-	√	√
Day/Night Adjustable Inside Rear View Mirror	-	√	√	√
Speed-Sensitive Auto Door Locking	√	√	√	√

FEA	TURES LIST			
VARIANTS	LXI MT	VXI MT/AMT CNG MT	ZXI MT/AMT CNG MT	ZXI+ MT/AMT
SAFETY & SECURITY	<u> </u>	0.10	0.10 1111	
Rear Defogger	√	√	√	√
Engine Immobilizers	√	√	√	√
5 Airbags (Front, Side and Curtain)^^	√	√	√	√
High-Speed Warning Alert*	√	√	√	√
3-Point seat belts for all Seats	√	√	√	√
Seat Belt Reminder Lamp & Buzzer (all occupants)^^^	√	√	√	√
Suzuki HEARTECT Body	√	√	√	√
Electronic Stability Program (ESP)	√	√	√	√
Hill Hold Assist	√	√	√	√
ABS with EBD	√	√	√	√
Reverse Parking Sensors	√	√	√	√
SOFix Child Seat Anchorages	√	√	√	√
ront Seat Belt with Pre-Tensioner & Force Limiter	√	√	√	√
NFOTAINMENT				
SmartPlay Pro+ with 22.86 cm Touchscreen	-	-	-	√
Surround Sense Powered by Arkamys	-	-	-	√
SmartPlay Pro with 17.78 cm Touchscreen	-	√	√	-
Android Auto and Apple CarPlay***	-	Wireless	Wireless	Wireless
Remote Control App for Infotainment	-	√	√	√
Steering Mounted Audio & Calling Controls	-	√	√	√
Over The Air Updates (OTA) using Smartphone	-	√	√	√
Onboard Voice Assistant (Wake-up Through "Hi Suzuki" with	_	√	√	√
Barge-in Feature)				
JSB & Bluetooth Connectivity	-	√	√	√
peakers (4 nos.)	-	√	√	√
weeters (2 nos.)	-	-	√	√
COMFORT & CONVENIENCE				
lectric Sunroof	-	-	-	√
Rear Reading Lamps	-	-	-	√
Cruise Control	-	-	-	√ /
Nireless Charger	-	-	√	√
Ingine Push Start-Stop Button with Smart Key	-	-	√	√
Auto headlamps with Follow Me Home & Lead Me to Vehicle	-	-	√	√ .
Key-fob operated Trunk opening	-	-	√	√
uggage Room Lamp	-	√	√	√ .
Rear AC Vent	-	√ /		√
Rear Seat Center Armrest with Cup Holder	-	√ .	√	√
Front USB (Type A) Rear Fast Charging USB (Type A and C) with phone pocket	-	√	√	√
Electrically Adjustable Outside Rear View Mirrors	-	√ √	√	√ √
				√ (Auto fold on
Electrically Foldable Outside Rear View Mirrors	-	√	√	locking)
Height Adjustable Driver Seat	-	√	√	√
Adjustable Rear Seat Headrests	-	√	√	√
Gear Position Indicator (AMT Only)	-	√	√	√
Gear Shift Indicator (MT Only)	√	√ /	√	√ .
Power Windows (Front + Rear)	√	√	√	√
Electromagnetic trunk opening	√ √	√ √	√ √	√ √
Adjustable Front Seat Headrests Auto Up Down and Pinch Guard Power Window (Driver)			√	V V
		√ √	√	V /
Oriver Side Footrest Front Accessory Socket	√ √	V /	√	V /
Pometa Kaylaga Entry System		V /	√ √	V /
Remote Keyless Entry System				V /
Central Locking Power & Tilt Steering	√ √	√ √	√	√ √
	√ √	V /	√	√ √
Bottle Holder on All Doors Digital Air Conditioner with Panel Illumination	√ (Manual)	√ (Manual)	√ (Auto)	√ (Auto)
	v (Manada)	v (ividilidal)	v (Adto)	V (Auto)
SUZUKI CONNECT**			√	√
	-			
mergency Alerts	-	-	√	√
mergency Alerts Breakdown Notification				√ √
imergency Alerts Breakdown Notification Stolen Vehicle Notification & Tracking	-	-	√	
imergency Alerts ireakdown Notification tiolen Vehicle Notification & Tracking ow-away and Tracking	-	-	√ √	√
imergency Alerts Breakdown Notification Stolen Vehicle Notification & Tracking Grow-away and Tracking Geo-fence	-	-	√ √ √	√ √
imergency Alerts reakdown Notification Stolen Vehicle Notification & Tracking Ow-away and Tracking Geo-fence Time fence	-	-	√ √ √ √	√ √ √ √
imergency Alerts Freakdown Notification Stolen Vehicle Notification & Tracking Flow-away and Tracking Flow-away and Tracking Flow-flow Flow Flow Flow Flow Flow Flow Flow F		- - - -	√ √ √ √ √	√ √ √ √
imergency Alerts reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking seo-fence ime fence alet Alert rips Summary		-	√ √ √ √	√ √ √ √
imergency Alerts ireakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eeo-fence ime fence alet Alert trip Summary triving Behaviour		- - - - - -	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{}{}
imergency Alerts ireakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eeo-fence ime fence falet Alert rip Summary riving Behaviour hare Trip History		- - - -	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{}{} \frac{}{} \frac{}{} \frac{}{} \frac{}{} \frac{}{} \frac{}{}
imergency Alerts ireakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking seo-fence ime fence alet Alert rip Summary oriving Behaviour thare Trip History irea Guidance			\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}}
imergency Alerts ireakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking eeo-fence ime fence falet Alert frip Summary triving Behaviour thare Trip History use Guidance ehicle Location Sharing		- - - - - -	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}}
imergency Alerts reakdown Notification Stolen Vehicle Notification & Tracking Ow-away and Tracking Seo-fence Fine fence Salet Alert Trip Summary Driving Behaviour Share Trip History Vea Guidance Sehicle Location Sharing Overspeeding			\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}}
imergency Alerts reakdown Notification totlen Vehicle Notification & Tracking ow-away and Tracking deo-fence ime fence dated Alert trip Summary rriving Behaviour share Trip History trea Guidance (rehicle Location Sharing	-		\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
mergency Alerts reakdown Notification tolen Vehicle Notification & Tracking ow-away and Tracking seo-fence seo-fence ime fence falet Alert fip Summary riving Behaviour share Trip History urea Guidance fehicle Location Sharing verspeedling seatbelt Cl Idling			\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
imergency Alerts reakdown Notification totolen Vehicle Notification & Tracking ow-away and Tracking seo-fence sime fence slatet Alert rips Summary oriving Behaviour share Trip History area Guidance chicle Location Sharing overspeeding seatbelt Cl dling irig (Start & End)	-		\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
imergency Alerts reakdown Notification totolen Vehicle Notification & Tracking ow-away and Tracking seo-fence sime fence slatet Alert rips Summary oriving Behaviour share Trip History area Guidance chicle Location Sharing overspeeding seatbelt Cl dling irig (Start & End)	-	-	\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
imergency Alerts reakdown Notification stolen Vehicle Notification & Tracking ow-away and Tracking seo-fence ime fence (alet Alert rip Summary rriving Behaviour share Trip History væra Guidance (rehicle Location Sharing verspeeding seabelt (C Idling Trip (Start & End) ow Fuel	-	-	\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
mergency Alerts reakdown Notification totolen Vehicle Notification & Tracking ow-away and Tracking seo-fence size fence alet Alert rip; Summary riving Behaviour share Trip History vea Guidance chicle Location Sharing verspeeding seatbelt c. Idling rip (Start & End) ow Fuel ow Range		-	\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
imergency Alerts ireakdown Notification totolen Vehicle Notification & Tracking ow-away and Tracking seo-fence ime fence date Alert rip Summary virving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt Cc Idling rip (Start & End) ow Fuel ow Range Jaseboard View		-	V V V V V V V V V V V V V V V V V V V	V V V V V V V V V V V V V V V V V V V
mergency Alerts reakdown Notification totolen Vehicle Notification & Tracking ow-away and Tracking seo-fence seo-fence ime fence 'alet Alert 'rip Summary riving Behaviour thare Trip History urea Guidance 'ehicle Location Sharing verspeeding earbelt C. I dlling G' Tip (Start & End) ow Fuel ow Range Jashboard View Joor Lock/Cancel Lock			V V V V V V V V V V V V V V V V V V V	V V V V V V V V V V V V V V V V V V V
imergency Alerts reakdown Notification totolen Vehicle Notification & Tracking ow-away and Tracking seo-fence seo-fence sine fence alet Alert rip Summary oriving Behaviour share Trip History rea Guidance tehicle Location Sharing overspeeding seatbelt Cc Idling rip (Start & End) ow Fuel ow Range over Range over Range start of the View oor Lock/Cancel Lock lazard Light On/Off			V V V V V V V V V V V V V V V V V V V	V V V V V V V V V V V V V V V V V V V
imergency Alerts ireakdown Notification totolen Vehicle Notification & Tracking ow-away and Tracking deo-fence ime fence date Alert trip Summary priving Behaviour share Trip History trea Guidance dehicle Location Sharing overspeeding leathelt Co Idling trip (Start & End) ow Fuel ow Range Jasshboard View Joor Lock/Cancel Lock Jazard Light On/Off Jeard India (Jord Hono) Jear Start St			\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
imergency Alerts reakdown Notification Stolen Vehicle Notification & Tracking Ow-away and Tracking Seo-fence Seo-fence Fine fence Salet Alert Trip Summary Driving Behaviour Share Trip History Vera Guidance Sehicle Location Sharing Seatbelt Coldling Fine (Start & End) Cow Fuel Dashboard View Door Lock/Cancel Lock Seard Light On/Off Seadlight Off Seadlight Off Seard Search Seard Search Searc			\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
imergency Alerts reakdown Notification Stolen Vehicle Notification & Tracking Ow-away and Tracking Seo-fence Ime fence Alet Alert Trip Summary Driving Behaviour Share Trip History Area Guidance Alethole Location Sharing Overspeeding Seatbelt Coldling Trip (Start & End) Low Range Low Range Low Range Low Range Lock/Cancel Lock Learant Light On/Off Leadlight Off Learant Light On/Off Leadlight Off Learnmobiliser Request			V V V V V V V V V V V V V V V V V V V	V V V V V V V V V V V V V V V V V V V
imergency Alerts irreakdown Notification Stolen Vehicle Notification & Tracking Geo-Tence Geo-Te			\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V















Bluish Black~



Arctic White



Magma Grey



Splendid Silver

MT 24.79*** km/l

25.71*** km/l CNG 33.73*** km/kg

EGEND: (√) Available, (-) Not Available. Maruti Suzuki India Limited reserves he right to change prices, colours, equipment specifications, variants and liscontinue models without prior notice. Images are for reference purposes nly. Colours may vary from the actual body colour due to printing on paper. VDA Method. **Suzuki Connect (Available Through Phone/ Smartwatch/ Suzuki Connect skill for Amazon Alexa.). Suzuki Connect is a networkependent telematic device. For detailed features, refer to the Suzuki Connect rochure. ***Fuel efficiency as certified by the test agency under Rule 115 of MVR 1989. ****Amazon, Alexa, and all related marks are trademarks of Amazon.com, Inc. or its affiliates. #If the vehicle's speed exceeds 80 km/h, hen the primary level warning will beep twice every minute. And, if the speed oes above 120 km/h, the secondary level warning will keep beeping. If the ehicle's speed slows down to 118 km/h, the primary warning will resume. If he vehicle is slowed down to 78 km/h, the speed alert warning will stop. This uzzer does not indicate any malfunction in the vehicle. ##Spare wheel naterial is steel & spare tyre size is 165/80 R14. ###Apple and iPhone are ademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc., Apple CarPlay is available in the ountries listed in the following link: http://www.apple.com/ios/featurevailability/# applecarplay-applecarplay. Apple CarPlay is compatible with he iPhone models listed in the following link: http://www.apple.com/ios/ arplay. Android Auto™ extends the Android platform into the car in a way nat's purpose-built for driving. It is designed to minimise distraction so you an focus on driving with Google™ services like Google Map™ and Google earch™. Get the Android Auto app on Google Play™. Android Auto is available the countries listed at the following link: https://www.android.com/auto/ hit-the-road. Most phones with Android 5.0+ work with Android Auto: https://support.google.com/androidauto/ #6140477. Android, Android Auto, loogle, Google Play and other marks are trademarks of Google Inc. ^Some arts of the leather-appointed upholstery will contain man-made material. ^For details on the functioning of safety features, including airbags, kindly refer to the Owner's Manual. ^^^This certifies that, the Maruti Suzuki New Dzire Petrol as the "India's Most Fuel-Efficient Sedan" as of 08th Oct 2024. he certification is based on information communicated by MSIL that the New Dzire Petrol, with the fuel efficiency of 24.79 km/l. MSIL has also informed that the fuel-efficiency figures are as per the certification of the test agency.

Only Manual Transmission Sedan vehicles are considered from this claim lidation. Based on the data provided by MSIL and comparing the same with ehicle technical specifications researched independently by JATO Dynamics or the Passenger Car segment. ~Available in all variants except Lxi.

