

INDIA'S NO.1 | ERTIGA





EXTERIOR

Elegant design and bold details define a confident road presence.



Dynamic Chrome Winged Front Grille



Projector Headlamps



3D Origami Style LED Tail Lamps



Machined Two-tone Alloy Wheels



▶ Rear Roof Spoiler

INTERIOR

Designed to offer both space and sophistication.



2nd Row Console AC Vents



▶ 3rd Row AC with 3-Stage Control



▶ Automatic Climate Control



PM2.5 Filter



▶ USB Fast Charger Type C



Smart Flexi Seating



Sculpted Dashboard with Metallic Teak-Wooden Finish



Steering Mounted Audio Controls



Instrument Cluster

TECHNOLOGY

Intelligent features make every journey easier and more connected.



▶ 17.78cm SmartPlay Pro



Cruise Control



▶ 6-Speed AT



Paddle Shifters



PERFORMANCE

Refined power and smooth handling elevate every drive.







Fuel Efficiency

Next Gen 1.5L K-Series Engine with **Smart Hybrid Technology**

Dynamic performance. Unmatched driving comfort.

Next Gen 1.5L K-Series Engine with S-CNG Technology

Enjoy performance that's driven with safety and savings.



SAFETY

The reliable and proven HEARTECT Platform coupled with 6 Airbags as Standard are engineered to cocoon every passenger in complete safety and peace of mind.





TPMS




Hill Hold Assist



▶ ESP®



▶ ABS+EBD



▶ HEARTECT Platform



▶ Rear Parking Camera

EQUIPMENT LIST

| | | | ANTS ZXi MT / ZXi AT / | 770 1471 700 |
|--|--|--|--|--|
| Grade Name | LXi MT | / VXi MT / VXi AT | ZXi MT / ZXi AT / ZXi CNG | ZXi+ MT/ ZXi AT |
| INTERIOR | | | | |
| Sculpted Dashboard with Mettalic Teak-Wooden Finish | - | - | √ | √ |
| Mettalic Teak-Wooden Finish on Door Trims (Fr.) | | - | √ | √ |
| Premium Dual Tone Interiors | √ | √ | √ | √ |
| Height Adjustable Driver Seat | | - | √ | √ |
| 2nd Row 60:40 Split Seats with One Touch Recline & Slide | √ | √ | √ | √ |
| 3rd Row 50:50 Split Seats with Recline function & Flat Fold | √ | √ | √ | √ |
| Flexible luggage space with Flat Fold (3rd Row) | √ | √(Except CNG) | √(Except CNG) | √ |
| Plush Dual-Tone Seat Fabric | | - | √ | √ |
| Fr. Seat Back Pockets | | Co-driver | √ | √ |
| Sliding Armrest with Utility Box (Front Row) | - | √ | √ | √ |
| Leather Wrapped Steering Wheel with Metallic Teak-Wooden Finish | - | - | - | √ |
| Adjustable Headrest (All Rows) | √ | √ | √ | √ |
| Split Type Luggage Board | | √(Except CNG) | √(Except CNG) | √ |
| Driver Side Sunvisor with Ticket Holder | √ | √ | √ | √ |
| Passenger Side Sunvisor with Vanity Mirror | | √ | √ | √ |
| Dazzle Chrome Tipped Parking Brake Lever | • | √ | √ | √ |
| Gear Shift Knob with Dazzle Chrome Finish | | √ | √ | √ |
| EXTERIOR | | | | |
| Rear Roof Spoiler | √ | √ | √ | √ |
| Projector Headlamps (Halogen) | √ | √ | √ | √ |
| 3D Origami Style LED Tail Lamps | √ | √ | √ | √ |
| Dynamic Chrome Winged Front Grille | Painted | Chrome | Chrome | Chrome |
| loating Type Roof Design in Rear | √ | √ | √ | √ |
| Full Wheel Caps | √ | √ | | - |
| Machined Two-tone Alloy Wheels^** | - | - | √ | √ |
| Furn Signal Lamp Integrated in ORVMs | - | √ | √ | √ |
| Back Door Garnish with Chrome Insert | | | √ | √ |
| Rear Wiper & Washer | - | | √ | √ |
| Body Coloured Door Handles | - | √ | - | - |
| Chrome Plated Door Handles | - | - | √ | √ |
| Body Coloured ORVMs | | √ | √ | √ |
| INSTRUMENT CLUSTER | | | | |
| MID With Coloured TFT | √ | √ | √ | √ |
| Tachometer | V | √ | √ | √ |
| Gear Shift Indicator (MT) | V | V | V | √ |
| Digital Clock | √ | 1 | √ | 1 |
| Outside Temperature Gauge | - | - | · / | √ |
| Fuel Consumption (Instantaneous and Avg)** | √ | J | 1 | , |
| Dedicated CNG Fuel Gauge | | √ (CNG) | √ (CNG) | |
| Total CNG Mode Time | | √ (CNG) | √ (CNG) | |
| Distance to Empty** | √ | √ (0110) | √ √ | √ |
| Headlamp On Warning | √ | √ √ | √ / | √ |
| Door Ajar Warning Lamp | · √ | , / | , / | √ |
| COMFORT & CONVENIENCE | | | | |
| Engine Push Start/Stop with Smart Key | - | - | √ | √ |
| Front Row AC | √ (Manual) | √ (Manual) | √ (Auto) | √ (Auto) |
| 2nd Row AC Vents | | 1 | √ / | √ / |
| 3rd Row AC with 3 Stage Control | - | V | √ | √ |
| PM2.5 Filter | - | - | _ | √ |
| Front Twin Cup Holders (Console) | √ | √ | √ | 1 |
| Rear Defogger | - | - | · / | · / |
| Remote Keyless Entry | _ | √ | | |
| , , | | | | J (Smart Ko |
| | J | | √ (Smart Key) | - |
| | √ | √ | √ | . √ |
| Power Socket (12V) Front Row with Smartphone Storage Space USB Charger 2nd Row (PD Type Max 60W) Type C + C | - | √ √ | √ √ | √ √ |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space | - | √ √ - | √ √ √ | √ √ √ |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C | - | √ √ - - | \frac{1}{\sqrt{1}} | √ √ √ |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Br) with Dr. Side Auto Down Functions | - | √ √ - - √ | \frac{1}{\sqrt{1}} | \frac{1}{\sqrt{1}} |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) | - | \frac{1}{\sqrt{1}} | \frac{1}{4} | \frac{1}{\sqrt{1}} |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Day & Night Adjustable IRVM (Manual) | - - - √ - | \frac{1}{\sqrt{1}} | \frac{1}{4} | \frac{1}{\sqrt{1}} |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rh) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Day & Night Adjustable IRVM (Manual) Power & Tilt Steering | - | \frac{1}{\sqrt{2}} | \frac{1}{4} | \frac{1}{4} \frac{1}{4} \frac{1}{4} \frac{1}{4} \frac{1}{4} \frac{1}{4} |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C Zind Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Day & Night Adjustable IRWM (Manual) Power & Till Steeling Electrically Adjustable ORVMs | - - - - - - - | \frac{1}{\sqrt{1}} | \frac{1}{\sqrt{1}} | \frac{1}{4} |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Bow Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Day & Night Adjustable IRVM (Manual) Power & Tilt Steering Electrically Adjustable ORVMs Electrically Foldable ORVMs | - - - - - - - | \frac{1}{\sqrt{1}} | \frac{1}{4} | \frac{1}{1} |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Hr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Day & Night Adjustable IRVM (Manual) Power & Till Steering Electrically Adjustable ORVMs Electrically Foldable ORVMs Retractable ORVMs (Key Operated) | - - - - - - - - | \frac{1}{\sqrt{1}} | \frac{1}{4} | \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C Zind Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Day & Night Adjustable IRVM (Manual) Power & Tils Steering Electrically Adjustable ORVMs Electrically Foldable ORVMs Retractable ORVMs (Key Operated) Bottle Holders (in each row) | | \frac{1}{\sqrt{1}} | \frac{1}{\sqrt{1}} | \frac{1}{1} |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C 20wer Windows (fr/fir) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Jay & Night Adjustable IRWM (Manual) 20wer & Tilt Steering Electrically Adjustable ORVMs Retractable ORVMs (Key Operated) Jostfle Holders (in each row) Doin/Ticket Holder (Driver Side) | - - - - - - - - - - - - | \frac{1}{\sqrt{1}} | \frac{1}{\sqrt{1}} | \frac{1}{\sqrt{1}} |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C 20wer Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Jay & Night Adjustable IRVM (Manual) 20wer & Tilt Steering Electrically Foldable ORVMs Electrically Foldable ORVMs Setractable ORVMs (Key Operated) Join/Ticket Holder (Driver Side) Join/Ticket Holder (Driver Side) Jabin Lamp (Fr.+Bir.) | | \frac{1}{\sqrt{1}} | \frac{1}{\sqrt{1}} | \frac{1}{4} \\ |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row (Po Type Max 60W) Type C + C 2nd Row (Po Type Max 60W) Type C + C 2nd Row (Print) JOAN & Night Adjustable FNVM (Manual) JOAN & Night Adjustable FNVM (Manual) JOAN & Row (Po Type Max 60W) JOAN & Row (Po Type Row (Po Typ | | \frac{1}{\sqrt{1}} | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | \frac{1}{4} |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C 20wer Windows (fr/Rh) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Jay & Night Adjustable IRWM (Manual) 20were & Till Steeling Electrically Adjustable ORVMs Electrically Foldable ORVMs Retractable ORVMs (key Operated) John Langer (Fr. RR.) Zibin Langer (Fr. RR.) Zibin Control Langer (Fr. RR.) Zibin Control Langer (Fr. RR.) Zibin Control Langer (Fr. RR.) | | \frac{1}{\sqrt{1}} | V V V V V V V V V V V V V V V V V V V | \frac{1}{\sqrt{1}} \frac{1}{\sqr |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C 20wer Windows (Fr/Ri) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Jay & Night Adjustable IRWM (Manual) 20wer & Tilt Steering 2lectrically Adjustable ORVMs Electrically Foldable ORVMs Setractable ORVMs (Key Operated) 3ottle Holders (in each row) 20in/Ticket Holder (Driver Side) Jabin Lamp (Fr.+Rr.) Tuise Control Jadade Shifters Joot Rest | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C Zind Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Windows (Dr. Side with anti-pinch) Down & Night Adjustable IRVM (Manual) Power & Tils Steering Electrically Adjustable ORVMs Electrically Foldable ORVMs Electrically Foldable ORVMs South Foldable ORVMs | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{1} \frac{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{ | \frac{1}{\sqrt{1}} \frac{1}{\sqr |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C Zind Row Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Ri) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Day & Right Adjustable IRWM (Manual) Power & Til Steeling Electrically Adjustable ORVMs Electrically Foldable ORVMs Reteratable ORVMs (Key Operated) Bottle Holders (in each row) Coin/Ticket Holder (Driver Side) Zabin Lamp (Fr-Ric.) Ziuse Control Paddle Shifters Courtesy Lamp Suuto Headlamps with Follow Me Home/Lead me to Vehicle Feature | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C Zind Row Smart Phone Storage Space USB Charger 3nd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Windows (Dr. Side with anti-pinch) Day & Night Adjustable IRVM (Manual) Power & Tils Steering Electrically Adjustable ORVMs Electrically Foldable ORVMs Electrically Foldable ORVMs Bottle Holders (in each row) Coint/Ticket Holder (Driver Side) Zabin Lamp (Fr. Hir.) Zuise Control Jardis Shifters Coot Rest Courtesy Lamp Auto Headlamps with Follow Me Home/Lead me to Vehicle Feature NEOTALMINITS SYSTEM 17.78cm SmartPlay Pro Touch Screen Infolainment System | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C Zind Row Smart Phone Storage Space USB Charger 3nd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Windows (Dr. Side with anti-pinch) Day & Night Adjustable IRVM (Manual) Power & Tils Steering Electrically Adjustable ORVMs Electrically Adjustable ORVMs Electrically Foldable ORVMs Bottle Holders (in each row) Coint/Ticket Holder (Driver Side) Zabin Lamp (Fr. Hr.) Zuius Control Jadde Shifters Coot Rest Zourtesy Lamp Auto Headlamps with Follow Me Home/Lead me to Vehicle Feature NOTA/MIMTS YSTEM 17.78cm SmartPlay Pto Touch Screen Infotainment System | | V V V V V V V V V V V V V V V V V V V | \frac{1}{1} \frac{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{ | |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C Zind Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C Ower Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') Days & Night Adjustable DRVMs (Manual) Oower & Tilt Steering Electrically Adjustable ORVMs Electrically Adjustable ORVMs Electrically Foldable ORVMs Elect | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | V |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C 20wer Windows (fr/flr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Jay & Night Adjustable GRWM (Manual) 20wer & Till Steering Electrically Adjustable ORVMs Electrically Adjustable ORVMs Retactable ORVMs | | √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ | \frac{1}{1} \frac{1} \frac{1}{1} \frac{1}{1} \frac{1}{1} \frac{1}{ | |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row Fright Phone Storage Space JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row Fright Phone JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row Fright Phone JSB Charger 3nd Row | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | V |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C Zind Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C Ower Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Functions Auto Windows (Fr/Rh') with Dr. Side Auto Down Down Functions Joan Function (Joan May 1997) Joan Function (Joan | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | √ |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3rd Row (PD Type Max 60W) Type C + C 20wer Windows (fr/flr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Jay & Night Adjustable GRWM (Manual) 20wer & Till Steering Electrically Adjustable ORVMs Electrically Adjustable ORVMs Retactable ORVMs (Key Operated) Both Common (Key Operated) Coin/Ticket Holder (Driver Side) Coin/Ticket Holder (Driver Side) Coin/Ticket Holder (Driver Side) Coin/Ticket Holder (Driver Side) Courtesy Lamp Unto Headlamps with Follow Me Home/Lead me to Vehicle Feature NEOTAINMENT SYSTEM 17.78cm SmartPlay Por Touch Screen Infotainment System 7.78cm SmartPlay To Touch Screen Infotainment System Premium Sound System Indirect Additional Streen Infotainment System Premium Sound System Indirect Additional Streen Infotainment System Premium Sound System Indirect Onnectivity Speakers (4) | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} |
| JSB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row Smart Phone Storage Space JSB Charger 3nd Row (PD Type Max 60W) Type C + C 2nd Row For Max 60W) Type C + C 2nd Row For Max 60W (Po Type Max 60W) Type C + C 2nd Row Row For Max 60W (Manual) JOAN 8 Night Adjustable RPM (Manual) JOAN 8 Night Adjustable GPWMs Selectrically Foldable ORVMs Selectrically Foldable ORVMs Selectrically Foldable ORVMs Selectrically Foldable ORVMs JOAN 8 Night Row (Po Porated) JOAN 9 Night Row Poly 10 | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | V V V V V V V V V V |
| USB Charger 2nd Row (PD Type Max 60W) Type C + C 2nd Bow Smart Phone Storage Space USB Charger 3rd Row (PD Type Max 60W) Type C + C Power Windows (Fr/Rr) with Dr. Side Auto Down Functions Auto Window Up (Dr. Side with anti-pinch) Day & Night Adjustable IRVM (Manual) Power & Tilt Steering Electrically Adjustable ORVMs Electrically Foldable ORVMs | | \frac{1}{\sqrt{1}} \frac{1}{\sqr | \frac{1}{\sqrt{1}} \frac{1}{\sqr | V V V V V V V V V V |

| Suzuki HEARTECT Platform 6 Airbags (Front, Side and Curtain) Tyre Pressure Monitoring System (TPMS) | √ √ | √ | √ | √ |
|---|--------|----------|----------|----------|
| | J | | | |
| Tyre Pressure Monitoring System (TPMS) | | √ | √ | √ |
| The Freedom Emolitoring System (Trivis) | - | - | - | √ |
| ABS with EBD and Brake Assist | √ | √ | √ | √ |
| Engine Immobilizer | √ | √ | √ | √ |
| Electronic Stability Program | √ | √ | √ | √ |
| Hill Hold | √ | √ | √ | 4 |
| ISOFIX Child Seat Anchorages (2nd Row Seats) | √ | √ | √ | √ |
| Front Seat Belts with Pre-tensioner & Force Limiters (Dr.+Co-Dr.) | √ | √ | √ | √ |
| Seat Belt Reminder Lamp and Buzzer (All Passengers) | √ | √ | √ | √ |
| All Seat Belts (3-Point ELR) | √ | √ | √ | √ |
| Front Seat Belt Height Adjuster | √ | √ | √ | √ |
| High Speed Alert System* | √ | √ | √ | √ |
| Speed Sensitive Auto Door Lock | √ | √ | √ | √ |
| Security Alarm | - | √ | √ | √ |
| Rear Parking Sensors | √ | √ | √ | √ |
| Rear Parking Camera | - | - | √ | 1 |
| Central Locking | √ | √ | √ | √ |
| Front Fog Lamps | - | - | V | √ |
| **SUZUKI CONNECT | | | | |
| Safety and Security | | | | |
| Emergency Alerts | - | - | √ | 4 |
| Breakdown Notification | - | - | √ | √ |
| Stolen Vehicle Notification and Tracking | - | - | . √ | √ |
| Tow Away Alert and Tracking | - | - | √ | · · |
| Geo-Fence | | | . √ | · · |
| Time Fence | - | | √ | . √ |
| Valet Alert | | | √ | · · |
| Trips and Driving Behaviour | | | · · | √ |
| Trip Summary | - | | √ | √ |
| Driving Behavior | - | - | , / | , 1 |
| Share Trip History | | | · · | · · |
| Area Guidance Around Destination | | | . √ | √ |
| Vehicle location Sharing | | - | · · | · · |
| Alerts and Notifications | | | | |
| Overspeed | | - | √ | 1 |
| Seatbelt | | - | √ √ | ∀ |
| AC Idling | | | √ · | 1 |
| Trip (Start & End) | | | · √ | 1 |
| Low Fuel** & Low Range** | | - | √ √ | √ √ |
| Dashboard View | | - | √ √ | √ √ |
| Remote Functions | | | · · | · · |
| Door Lock/Cancel Lock | | - | 1 | √ |
| Hazard Light ON/OFF | - | _ | √ √ | 4 |
| Headlight OFF^^* | | | √ √ | √ √ |
| Alarm | | | V | √ √ |
| Immobilizer Request | | | √ | 4 |
| Battery Health | - | - | √ | √ √ |
| | - | | | |
| Smartwatch Connectivity Suzuki connect skill for Amazon, Alexa**** | | - | 4 | √ |
| Remote AC | - | - | | |
| nemote AC | | | √(AT) | √(AT) |

| FEATURES & SPECIFICATIONS | PETROL | CNG | | |
|---------------------------|---|---|--|--|
| Variants | LXi MT, VXi MT, VXi AT, ZXi MT, ZXi AT, ZXi+ MT, ZXi+ AT | VXi MT, ZXi MT | | |
| Dimensions | | | | |
| Length (mm) | 4435 | | | |
| Width (mm) | 1735 | | | |
| Height (mm) | 1690 | | | |
| Wheelbase (mm) | 2740 | | | |
| Turning Radius (m) | 5.2 | | | |
| Seating Capacity | 7 | | | |
| Engine | | | | |
| Туре | K15C SMART HYBRID | K15C | | |
| Capacity (cc) | 1462 | 1462 | | |
| Compression Ratio | 12 ± 0,3 | 12 ± 0.3 | | |
| Power (kW@RPM) | 75.8 kW (103.06 Ps) @ 6000 rpm | 74.0 kW (100.6 Ps) @ 6000 rpm (Petrol Mode 64.6 kW (87.8 Ps) @ 5500 rpm (CNG Mode) | | |
| Torque (Nm@RPM) | 139.0 Nm @ 4300 rpm | 137.1 Nm @ 4300 rpm (Petrol Mode) 121.5 Nm @ 4200 rpm (CNG Mode) | | |
| Emission Type | BS VI | | | |
| Fuel Tank Capacity (L) | Petrol : 45 CNG: 60 (Water Equivalent | | | |
| Idle Start Stop | √ | - | | |
| Brake Energy Regeneration | √ | - | | |
| Torque Assist | √ | - | | |
| Drive & Transmission | | | | |
| Drive | 2WD, FF | | | |
| Transmission | 5MT / 6AT | 5MT | | |
| Brake | | | | |
| Front | | Disc | | |
| Rear | Drum | | | |
| Suspension | | | | |
| Front | MacPherson Strut & Coil Spring | | | |
| Rear | Torsion Beam & Coil Spring | | | |
| Tyre Size | 18 | 5/65 R15 | | |
| Weight | | | | |
| Kerb Weight (kg) | 1175-1225 | 1270-1275 | | |
| Gross Vehicle Weight (kg) | 1760 (MT), 1785 (AT) | 1820 | | |

Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmission, AT-Automatic Transmission

COLOUR SPECIFICATIONS

















Drive with a mileage of:

LXi MT, VXi MT, VXi AT, ZXi MT, ZXi+ MT ZXi AT, ZXi+ AT

20.30[°] km/l Petrol

26.11^{*} km/kg VXi MT, ZXi MT



Front RP Rear At Automatic Transmission, MT Manual Tra



Maruti Suzuki India Limited

Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi-110070, INDIA