



SUV-inspired Bold Front Fascia





How do you turn the everyday into something more? Simple. By adding passion, enthusiasm and little touches of surprise. That's exactly what you'll find in the Maruti Suzuki S.PRESSO. Slide in behind the wheel and accelerate through a journey of spirited living. Excitement, after all, is not a feeling, but an experience. So, are you made for more?






















| FEATURE LIST | | | VARIANTS | | | | |
|------------------------|---|-------------------------|-----------|-----------------------------|---|-----------------------------|--|
| | Grade Nam | e | Std(0) MT | LXi(0) MT/ LXi(0) CNG MT | VXi(0) MT / VXi(0) AGS/ VXi(0) CNG MT | VXi+(0) MT / VXi+(0) AGS | |
| INTERIORS | Dynamic Centre Console | | ✓ | ✓ | ✓ | ✓ | |
| | High Seating for commanding drive view | | 1 | ✓ | ✓ | ✓ | |
| | Coloured Centre Garnish | | - | - | - | ** | |
| | Front Cabin Lamp (3 positions) | | ✓ | ✓ | √ | ✓ | |
| | Sunvisor (Dr+Co. Dr) | | ✓ | ✓ | ✓ | √ | |
| COMFORT | AC with Heater | | - | ✓ | ✓ | ✓ | |
| | Power Steering | | - | ✓ | √ | ✓ | |
| | Accessory Socket | | - | - | √ | ✓ | |
| | Front Console Utility Space | | ✓ | 1 | √ | ✓ | |
| | 1L Bottle Holders with Map Pockets (Front doors) | | ✓ | √ | √ | ✓ | |
| | Rear Console Utility Space | | ✓ | ✓ | ✓ | ✓ | |
| | Co-Driver Side Utility Space | | ✓ | ✓ | ✓ | ✓ | |
| | Reclining & Front Sliding Seats | | √ | 1 | √ | ✓ | |
| | Remote key | Remote keyless entry | | - | ✓ | ✓ | |
| | Rear Parcel Tray | | - | - | - | ✓ | |
| | Front Power Windows | | - | - | ✓ | ✓ | |
| | Internally Adjustable ORVMs (Dr+Co. Dr) | | - | - | √ | - | |
| | Electrically Adjustable ORVMs (Dr+Co. Dr) | | - | - | - | √ | |
| | Idle Start Stop (ISS) | | √ | Petrol Variant Only | Petrol Variant Only | ✓ | |
| | Cabin Air Filter | | ✓ | ✓ | √ | 1 | |
| INFOTAINMENT SYSTEM | SmartPlay Studio - 17.78 cm Touch screen Infotainment System | | - | - | - | √ | |
| | SmartPlay Dock | | - | - | √ | - | |
| | Apple Car Play and Android Auto### | | - | - | - | √ | |
| | Bluetooth | | - | - | √ | ✓ | |
| | Speakers | | - | - | 2 | 2 | |
| | USB connectivity/Aux | | - | - | √ | ✓ | |
| | Steering-Mounted Audio & Voice Control | | - | - | - | ~ | |
| SAFETY AND | HEARTECT Platform | | √ | ✓ | √ | ✓ | |
| SECURITY | Electronic Stability Program (ESP) | | ✓ | ✓ | ✓ | ✓ | |
| | Hill Hold | | - | - | AGS Only | AGS Only | |
| | ABS with EBD | | √ | ✓ | ✓ | √ | |
| | Seat Belt Reminder with Buzzer Front + Rear seat | | √ | ✓ | √ | ✓ | |
| | Rear Seat Belt | Center (2-Point Static) | ✓ | Petrol variant only | Petrol variant only | √ | |
| | | Outboard (3-Point) | √(Static) | √(Static) | √(ELR) | √(ELR) | |
| | | | | | | | |







LXi(O) MT VXi(O) MT

| FEATURE LIS | T | VARIANTS | | | | | |
|------------------------|--|-----------|-----------------------------|---|-----------------------------|--|--|
| | Grade Name | Std(O) MT | LXi(0) MT/ LXi(0) CNG MT | VXi(0) MT / VXi(0) AGS/ VXi(0) CNG MT | VXi+(0) MT / VXi+(0) AGS | | |
| SAFETY AND SECURITY | Reverse Parking Sensors | ✓ | ✓ | ✓ | ✓ | | |
| | Speed Alert System [^] | ✓ | ✓ | ✓ | ✓ | | |
| | Pedestrian Protection | ✓ | ✓ | ✓ | ✓ | | |
| | Child Proof Rear Door Lock | ✓ | ✓ | ✓ | ✓ | | |
| | Speed Sensitive Auto Door Lock | - | - | ✓ | ✓ | | |
| | Central Door Locking | - | - | ✓ | ✓ | | |
| | Dual Airbag*** | √ | ✓ | ✓ | ✓ | | |
| | Front Seatbelt Pre-tensioner and Force Limiter | ✓ | ✓ | √ | ✓ | | |
| | Low Fuel Warning (Petrol Fuel) | - | - | SmartPlay Dock | SmartPlay Studio | | |
| | Door Ajar Warning | - | - | SmartPlay Dock | SmartPlay Studio | | |
| | Parking Brake Warning | √ | ✓ | √ | ✓ | | |
| EXTERIOR | SUV Inspired Bold Front Fascia | ✓ | √ | √ | ✓ | | |
| | Twin Chamber Headlamps | ✓ | ✓ | ✓ | ✓ | | |
| | Roof Antenna | - | - | √ | ✓ | | |
| | Signature C shaped Tail Lamps | ✓ | ✓ | ✓ | ✓ | | |
| | B-Pillar Black Out Tape | - | - | - | ✓ | | |
| | Side Body Cladding | ✓ | ✓ | √ | ✓ | | |
| | Body Coloured Bumpers | - | - | √ | ✓ | | |
| | Body Coloured ORVMs | - | - | - | ✓ | | |
| | Body Coloured Outside Door Handles | - | - | - | ✓ | | |
| | Full Wheel Covers | - | - | ✓ | ✓ | | |
| INSTRUMENT CLUSTER | Digital Display in the Instrument Cluster | √ | √ | √ | ✓ | | |
| | Fuel Consumption (Instantaneous & Average) | - | - | ✓ | ✓ | | |
| | Headlamp On Warning | - | - | √ | ✓ | | |
| | Gear Shift Indicator (MT Only) | - | - | Petrol Variant Only | ✓ | | |
| | Gear Position Indicator | - | - | AGS Only | AGS Only | | |
| | Distance to empty | - | | ✓ | √ | | |
| Duite with a miles of | | | | | | | |

SOLID SIZZLE ORANGE PEARL STARRY BLUE SOLID FIRE RED **BLUISH BLACK*****

TECHNICAL SPECIFICATIONS

Length (mm)

Width (mm)

Height (mm)

Wheelbase (mm)

Turning Radius (m)

Seating Canacity

Tyne Capacity (cc)

Power

Torque

Fuel Type

uel Tank Capacity (L'

Drive

Transmission

Front

Rear

Front

Rear

Tyre Size

Kerb Weight (kg)

Maximum GVW (kg)

DIMENSIONS

ENGINE

EMMISION TYPE

DRIVE & TRANSMISSION

BRAKE

SUSPENSION

WEIGHT

COLOUR SPECIFICATIONS

PETROI

1553 (Std(0) MT, LXi(0) MT)

1567 (VXi(0) MT, VXi+(0) MT, VXi(0) AGS,

5

50 4kW (68 524 PS) @ 5600 rpm

91 1 Nm @ 3400 rpm

Petrol

27

5MT/ AGS

MacPherson Strut with Coil Spring

145/80 R13 (Std(O) MT, LXi(O) MT)

165/70 R14 (VXi(0) MT, VXi+(0) MT,

VXi(O) AGS, VXi+(O) AGS)

736-775

K100

3565

1520

2380

4.5

BS VI

2WD FF

Ventilated Disc

Torsion Beam with Coil Spring

1170



SOLID WHITE

CNG

1553 (LXi(O) MT).

1567 (VXi(0) MT)

4

CNG Mode: 41.7kW (56.696 PS) @ 5300 rpm Petrol Mode: 49.8kW (67.709 PS) @ 5600 rpm

CNG Mode: 82.1 Nm @ 3400 rpm

Petrol Mode: 91.1 Nm @ 3400 rpm PetroI+CNG

Petrol:27

CNG: 55 (Equivalent Water Filling Capacity)

5MT

Mac Pherson Strut with

Coil Spring and Stabilizer Bar

145/80 R13 (LXi(0) MT)

165/70 R14 (VXi(0) MT)

834-854

K100 CNG

Drive with a mileage of:

Petrol:

km/l

25.30 km/l km/l

VXi(O) MT, VXi+(O) MT VXi+(O) AGS

VXi(O) AGS,

'Test Result of Rule 115 of CMVR, 1989.

[CMVR is an acronym for Central Motor Vehicles Rules, 1989.]

All variants are BS VI compliant. Std: Standard, AGS: Auto Gear Shift, MT: Manual Transmission.**Orange in solid sizzle orange body colour & Silver in the remaining 6 body colours. ^The speed alert system gives an audible warning for alert of over-speed to the driver. When vehicle speed exceeds about 80 km/h, a primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, the vehicle warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in the vehicle. ##Apple and iPhone are trademarks of Apple Inc. registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc., Apple CarPlay is available in the countries listed in the following link: http://www.apple.com/ios/feature-availability/**applecarplay- applecarplay. Apple CarPlay is compatible with the iPhone models listed in the following link; http://www/apple.com/jos/carplay. Android Auto™ extends the Android platform into the car in a way that's purpose-built for driving. It is designed to minimise distraction so you can focus on driving with Google™ services like Google Map™ and Google Search™. Get the Android Auto app on Google Play™. Android Auto is available in the countries listed at the following link: https://www.android.com/auto/#hit-the-road. Most phones with Android 5.0+ work with Android Auto: https://support.google.com/androidauto/#6140477. Android Auto, Google, Google Play and other marks are trademarks of Google Inc. ***For details on the functioning of safety features including airbags, kindly refer to the Owners Manual. Creative visualization. The black glass in the vehicle is due to the lighting effect. Accessories and features shown may not be part of standard equipment. Car Model and accessories shown may vary from the actual product. ***Available in all the variants except for Std, Lxi, Lxi CNG. ***Whichever is earlier.

Std(O) MT LXi(O)MT CNG:

*Height = 1553mm for Std and LXi variant, The drawings shown are general specifications of the vehicle.



For more details, contact Toll Free No: 1800 102 1800, 1800 1800 180

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi 110070, Tel.011-46781000.